

# ATTESTATION of conformity with European Directives

Attestation Number: 1788AB0724N028001

Product: iTaste Kroma-A Crios Kit, iTaste Kroma-A AXIOM M21 Kit, Crios

Tank, AXIOM M21 Tank

Brand Name: N/A

Model: iTaste Kroma-A Crios Kit, iTaste Kroma-A AXIOM M21 Kit, Crios

Tank, AXIOM M21 Tank

Additional Models: N/A

Applicant: SHENZHEN Innokin Technology Co.,Ltd

Address: Building 6, XinXinTian Industrial Park, XinSha Road, ShaJing,

Baoan District, ShenZhen, China

Technical Characteristics: DC 3.7V from Li-ion Battery or DC 5V from Host Unit

The submitted sample of the above equipment has been tested for CE marking according to following European Directive and standards:

- Electromagnetic Compatibility Directive 2014/30/EU

Standards	Report Number	Report date
EN 61000-6-3:2007+A1:2011 + AC:2012 EN 61000-6-1:2007	CE170724N028	Aug. 16, 2017

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive.

This verification does not imply assessment of the production of the product. The CE marking may be affixed if all relevant and effective European Directives with CE are applicable.

Supervisor EMC Department



Name: Madison Luo Date: Aug. 16, 2017

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.

Information given in this document is related to the tested specimen of the described electrical sample.

Tel.: +86 769 8593 5656 Fax: +86 769 8593 1080

Email: customerservice.dg@cn.bureauveritas.com



# ATTESTATION OF CONFORMITY

Attestation Number: 1788AB0724N028002

Product: iTaste Kroma-A Crios Kit, iTaste Kroma-A AXIOM M21 Kit, Crios

Tank, AXIOM M21 Tank

Brand Name: N/A

Model: iTaste Kroma-A Crios Kit, iTaste Kroma-A AXIOM M21 Kit, Crios

Tank, AXIOM M21 Tank

Additional Model: N/A

Applicant: SHENZHEN Innokin Technology Co.,Ltd

Address: Building 6, XinXinTian Industrial Park, XinSha Road, ShaJing,

Baoan District, ShenZhen, China

Technical Characteristics: DC 3.7V from Li-ion Battery or DC 5V from Host Unit

The submitted sample of the above equipment has been tested according to following standard(s):

Standards	Standards Report Number			
FCC Part 15 Subpart B, Class B	FV170724N028	Aug. 16, 2017		

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements.

This verification does not imply assessment of the production of the product.

Supervisor EMC Department

Name: Madison Luo Date: Aug. 16, 2017

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.

Information given in this document is related to the tested specimen of the described electrical sample.



# **TEST REPORT**

LAB NO. : (8819)007-0093(R1)

DATE : Jan 29, 2019 PAGE : 1 OF 14

APPLICANT : SHENZHEN INNOKIN TECHNOLOGY CO., LTD

BUILDING 6, XINXINTIAN INDUSTRIAL PARK, XINSHA ROAD, SHAJING, BAOAN DISTRICT, SHENZHEN, CHINA

**DATE OF SUBMISSION**: JAN 7, 2019

**TEST PERIOD** : JAN 7, 2019 TO JAN 18, 2019

ITASTE KROMA-A ISUB B KIT & ISUB B TANK

SAMPLE DESCRIPTION : 1.)SILVERY 2.)BLACK 3.)GREY 4.)BLUE 5.)SILVERY

6.) DULL SILVERY 7.) COPPERY

Style No.: ITASTE KROMA-A ISUB B KIT & ISUB B TANK

Sample Size: 11

BUREAU VERITAS SHENZHEN CO.,LTD DONGGUAN BRANCH

Harvey Xue

Manager, Analytical Lab

### RT/ER

#### REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@cn.bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.



DATE : Jan 29, 2019 PAGE : 2 OF 14

# SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
European Parliament and Council Directive 2011/65/EU on the		
Restriction of the Use of Certain Hazardous Substances in	PASS	
Electrical and Electronic Equipment (RoHS) with its	PASS	-
Amendment Directive 2015/863/EU on certain component.		
The BBP/DBP/DEHP/DIBP content requirements of the		
European Parliament and Council Directive 2011/65/EU on the		
Restriction of the Use of Certain Hazardous Substances in	PASS	-
Electrical and Electronic Equipment (RoHS) with its		
Amendment Directive 2015/863/EU		



LAB NO. DATE : (8819)007-0093(R1)

PAGE

: Jan 29, 2019 : 3 OF 14

# **Photo of the Submitted Sample**





DATE : Jan 29, 2019 PAGE : 4 OF 14

# **Test Item Description and Photo List**

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
I001		Black plastic	Pipe, ITASTE KROMA-A CRIOS KIT	1-2
1002		Silvery metal	Net, pipe, ITASTE KROMA-A CRIOS KIT	1-4
I003		Silvery metal	Ring, ITASTE KROMA-A CRIOS KIT	1
1004	• 6	Translucent soft plastic	Smallest ring, ITASTE KROMA-A CRIOS KIT	1-4
I005		Translucent soft plastic	Smaller ring, ITASTE KROMA-A CRIOS KIT	1-4
I006		Translucent soft plastic	Small ring, ITASTE KROMA-A CRIOS KIT	1-4
1007		Translucent soft plastic	Big ring, ITASTE KROMA-A CRIOS KIT	1-4
1008		Translucent soft plastic	Bigger ring, ITASTE KROMA-A CRIOS KIT	1-4
1009		Translucent soft plastic	Thin, biggest ring, ITASTE KROMA-A CRIOS KIT	1-4
I010		Translucent soft plastic	Thick, biggest ring, ITASTE KROMA-A CRIOS KIT	1-4
I011		Transparent plastic	Sleeve, ITASTE KROMA-A CRIOS KIT	1-4
I012		Silvery metal	Big ring, ITASTE KROMA-A CRIOS KIT	1
I013		Silvery metal	Small ring, ITASTE KROMA-A CRIOS KIT	1-4
I014	0 7	Silvery metal	Connector, ITASTE KROMA-A CRIOS KIT	1-4
I015		Silvery metal	Spring, connector, ITASTE KROMA-A CRIOS KIT	1-4
I016		Silvery metal	Pin, connector, ITASTE KROMA-A CRIOS KIT	1-4
I017	M) m	Silvery metal	Big sleeve, ITASTE KROMA-A CRIOS KIT	1-4
I018		Silvery metal	Small sleeve, ITASTE KROMA-A CRIOS KIT	1-4



DATE : Jan 29, 2019 PAGE : 5 OF 14

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
I019		Silvery metal	Connector, ITASTE KROMA-A CRIOS KIT	1-4
1020	44 13 0	Silvery metal	Sleeve, ITASTE KROMA-A CRIOS KIT	1-4
I021		Silvery metal	Pin, ITASTE KROMA-A CRIOS KIT	1-4
1022		Silvery metal	Ring, ITASTE KROMA-A CRIOS KIT	1-4
I023		White fabric	Tape, ITASTE KROMA-A CRIOS KIT	1-4
I024		White cotton	Filler, ITASTE KROMA-A CRIOS KIT	1-4
1025	100	Black soft plastic	Ring, ITASTE KROMA-A CRIOS KIT	1-4
I026	44	White soft plastic	Ring, ITASTE KROMA-A CRIOS KIT	1-4
1027	000	Grey soft plastic	Ring, ITASTE KROMA-A CRIOS KIT	1-4
1028		Silvery metal	Net, ITASTE KROMA-A CRIOS KIT	1-4
1029		Silvery metal	Wire, net, ITASTE KROMA-A CRIOS KIT	1-4
1030		Silvery metal	Big outer ring, ITASTE KROMA-A CRIOS KIT	1
I031	000	Silvery metal	Small inner ring, ITASTE KROMA-A CRIOS KIT	1
I032		Silvery metal	Smaller ring, ITASTE KROMA-A CRIOS KIT	1-4
1033		Iridescent glass	Sleeve, ITASTE KROMA-A CRIOS KIT	1-4
I034		Black coated silvery metal	Front ring, ITASTE KROMA-A CRIOS KIT	2
I035		Black coated silvery metal	Behind ring, ITASTE KROMA-A CRIOS KIT	2



DATE : Jan 29, 2019 PAGE : 6 OF 14

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
I036		Black coated silvery metal	Outer ring, ITASTE KROMA-A CRIOS KIT	2
1037		Black coated silvery metal	Inner ring, ITASTE KROMA-A CRIOS KIT	2
I038		Red plastic	Pipe, ITASTE KROMA-A CRIOS KIT	3
1039		Grey coated silvery metal	Front ring, ITASTE KROMA-A CRIOS KIT	3
1040	A P	Grey coated silvery metal	Behind ring, ITASTE KROMA-A CRIOS KIT	3
I041		Grey coated silvery metal	Outer ring, ITASTE KROMA-A CRIOS KIT	3
I042	8	Grey coated silvery metal	Inner ring, ITASTE KROMA-A CRIOS KIT	3
I043		Blue plastic	Pipe, ITASTE KROMA-A CRIOS KIT	4
I044		Blue coated silvery metal	Front ring, ITASTE KROMA-A CRIOS KIT	4
I045		Blue coated silvery metal	Behind ring, ITASTE KROMA-A CRIOS KIT	4
I046		Blue coated silvery metal	Outer ring, ITASTE KROMA-A CRIOS KIT	4
I047		Blue coated silvery metal	Inner ring, ITASTE KROMA-A CRIOS KIT	4
I048	FEA	Grey coated black/transparent plastic	Side cover, front cover, ITASTE KROMA-A CRIOS KIT	5-7
I049		Silvery metal	Front cover, ITASTE KROMA-A CRIOS KIT	5
1050		Black plastic	Behind cover, ITASTE KROMA-A CRIOS KIT	5-7



DATE : Jan 29, 2019 PAGE : 7 OF 14

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
1051		Black coated silvery metal	Big button, ITASTE KROMA-A CRIOS KIT	5-7
1052		Black coated silvery metal	Small button, ITASTE KROMA-A CRIOS KIT	5-7
1053	90	Black/transparent plastic	Ring, button, ITASTE KROMA-A CRIOS KIT	5-7
1054		Black coated silvery metal	Bottom cover, ITASTE KROMA-A CRIOS KIT	5-7
I055		Black coated silvery metal	Connector, ITASTE KROMA-A CRIOS KIT	5-7
I056	116	Black coated silvery metal	Long screw, ITASTE KROMA-A CRIOS KIT	5-7
1057		Black coated silvery metal	Short screw, ITASTE KROMA-A CRIOS KIT	5-7
1058		Dull silvery metal	Front cover, ITASTE KROMA-A CRIOS KIT	6
I059		Coppery plated silvery metal	Front cover, ITASTE KROMA-A CRIOS KIT	7
I060		White soft plastic	Case, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
I061		Silvery metal	Cover, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
1062		White plastic	Pin holder, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
I063		White soft plastic	Pin holder, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
I064	<b>C S S</b>	Golden metal	Pin, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
I065		Silvery solder	Solder, pin, big USB plug, cable, ITASTE KROMA-A CRIOS KIT	-
I066		White soft plastic	Wire jacket, cable, ITASTE KROMA-A CRIOS KIT	-
I067		White soft plastic	Wire insulation, cable, ITASTE KROMA-A CRIOS KIT	-



DATE : Jan 29, 2019 PAGE : 8 OF 14

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)	
I068			Black soft plastic	Wire insulation, cable, ITASTE KROMA-A CRIOS KIT	-
I069		Red soft plastic	Wire insulation, cable, ITASTE KROMA-A CRIOS KIT	-	
I070		Green soft plastic	Wire insulation, cable, ITASTE KROMA-A CRIOS KIT	-	
I071		Coppery metal	Wire, cable, ITASTE KROMA-A CRIOS KIT	-	
I072	435	White soft plastic	Case, small USB plug, cable, ITASTE KROMA-A CRIOS KIT	-	
I073		Silvery metal	Cover, small USB plug, cable, ITASTE KROMA-A CRIOS KIT	-	
I074		Black plastic	Pin holder, small USB plug, cable, ITASTE KROMA-A CRIOS KIT	-	
I075		Silvery metal	Pin, small USB plug, cable, ITASTE KROMA-A CRIOS KIT	-	



DATE : Jan 29, 2019 PAGE : 9 OF 14

## **EST RESULT**

Compliance Test – European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendment Directive 2015/863/EU

Test Method: See Appendix.

See Analytes and their corresponding Maximum Allowable Limit in Appendix

-	Result								
Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion		
Unit		mg/kg							
Test Item(s)	-	-	-	-	-	-	-		
I001	ND	ND	ND	ND	ND	ND	PASS		
1002	ND	ND	ND	Negative*	NA	NA	PASS		
1003	ND	ND	ND	Negative*	NA	NA	PASS		
1004	ND	ND	ND	ND	ND	ND	PASS		
1005	ND	ND	ND	ND	ND	ND	PASS		
1006	ND	ND	ND	ND	ND	ND	PASS		
1007	ND	ND	ND	ND	ND	ND	PASS		
1008	ND	ND	ND	ND	ND	ND	PASS		
1009	ND	ND	ND	ND	ND	ND	PASS		
I010	ND	ND	ND	ND	ND	ND	PASS		
I011	ND	ND	ND	ND	ND	ND	PASS		
I012	ND	ND	ND	Negative*	NA	NA	PASS		
I013	37000*	ND	ND	ND	NA	NA	EXEMPTED#		
I014	ND	ND	ND	Negative*	NA	NA	PASS		
I015	ND	ND	ND	Negative*	NA	NA	PASS		
I016	ND	ND	ND	Negative*	NA	NA	PASS		
I017	ND	ND	ND	ND	NA	NA	PASS		
I018	ND	ND	ND	ND	NA	NA	PASS		
I019	36000*	ND	ND	ND	NA	NA	EXEMPTED#		
1020	37000*	ND	ND	ND	NA	NA	EXEMPTED#		
I021	35000*	ND	ND	ND	NA	NA	EXEMPTED#		
1022	33000*	ND	ND	Negative*	NA	NA	EXEMPTED#		
1023	ND	ND	ND	ND	ND	ND	PASS		
I024	ND	ND	ND	ND	ND	ND	PASS		
1025	ND	ND	ND	ND	ND	ND	PASS		
I026	ND	ND	ND	ND	ND	ND	PASS		
I027	ND	ND	ND	ND	ND	ND	PASS		



DATE : Jan 29, 2019 PAGE : 10 OF 14

I028	ND	ND	ND	Negative*	NA	NA	PASS
I029	ND	ND	ND	Negative*	NA	NA	PASS
I030	ND	ND	ND	Negative*	NA	NA	PASS
I031	ND	ND	ND	Negative*	NA	NA	PASS
I032	37000*	ND	ND	ND	NA	NA	EXEMPTED#
I033	ND	ND	ND	ND	ND	ND	PASS
I034	ND	ND	ND	Negative*	NA	NA	PASS
I035	ND	ND	ND	Negative*	NA	NA	PASS
I036	ND	ND	ND	Negative*	NA	NA	PASS
I037	ND	ND	ND	Negative*	NA	NA	PASS
I038	ND	ND	ND	ND	ND	ND	PASS
I039	ND	ND	ND	Negative*	NA	NA	PASS
I040	ND	ND	ND	Negative*	NA	NA	PASS
I041	ND	ND	ND	Negative*	NA	NA	PASS
I042	ND	ND	ND	Negative*	NA	NA	PASS
I043	ND	ND	ND	ND	ND	ND	PASS
I044	ND	ND	ND	Negative*	NA	NA	PASS
I045	ND*	ND	ND	Negative*	NA	NA	PASS
I046	ND	ND	ND	Negative*	NA	NA	PASS
I047	ND	ND	ND	Negative*	NA	NA	PASS
I048	ND	ND	ND	ND	ND	ND	PASS
I049	ND	ND	ND	ND	NA	NA	PASS
I050	ND	ND	ND	ND	ND	ND	PASS
I051	ND	ND	ND	Negative*	NA	NA	PASS
I052	ND	ND	ND	Negative*	NA	NA	PASS
I053	ND	ND	ND	ND	ND	ND	PASS
I054	ND	ND	ND	Negative*	NA	NA	PASS
I055	ND	ND	ND	Negative*	NA	NA	PASS
I056	ND	ND	ND	Negative*	NA	NA	PASS
I057	ND	ND	ND	Negative*	NA	NA	PASS
I058	ND	ND	ND	ND	NA	NA	PASS
I059	ND	ND	ND	ND	NA	NA	PASS
I060	ND	ND	ND	ND	ND	ND	PASS
I061	ND	ND	ND	ND	NA	NA	PASS
I062	ND	ND	ND	ND	ND*	ND*	PASS
I063	ND	ND	ND	ND	ND	ND	PASS
I064	ND	ND	ND	ND	NA	NA	PASS
I065	ND	ND	ND	ND	NA	NA	PASS
I066	ND	ND	ND	ND	ND	ND	PASS
I067	ND	ND	ND	ND	ND	ND	PASS
I068	ND	ND	ND	ND	ND	ND	PASS
-							



DATE : Jan 29, 2019 PAGE : 11 OF 14

I069	ND	ND	ND	ND	ND	ND	PASS
I070	ND	ND	ND	ND	ND	ND	PASS
I071	ND	ND	ND	ND	NA	NA	PASS
I072	ND	ND	ND	ND	ND	ND	PASS
I073	ND	ND	ND	Negative*	NA	NA	PASS
I074	ND	ND	ND	ND	ND*	ND*	PASS
I075	ND	ND	ND	Negative*	NA	NA	PASS

#### Note / Key:

 $\begin{aligned} ND &= \text{Not detected} & \text{``>''} &= \text{Greater than} & \text{``<''} &= \text{Less than} \\ NR &= \text{Not requested} & \text{mg/kg} &= \text{milligram(s) per kilogram} &= \text{ppm} &= \text{part(s) per million} \\ NA &= \text{Not applicable} & \text{\%} &= \text{percent} & 10000 \text{ mg/kg} &= 1 \text{ \%} \end{aligned}$ 

Detection Limit: See Appendix.

#### Remark:

- The testing approach is listed in table of Appendix.
- \* denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- #According to Annex III of European Council Directive 2011/65/EU, exemptions were granted a few materials and Clause 6(c) is reiterated here "Copper alloy containing up to 4 % lead by weight.". Test Item(s) 013,019-022,032 was (were) claimed as is by client (received as is). Therefore, this (these) Test Item(s) containing the found lead level should be exempted.
- At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).
- The results of Item 060-075 were transferred from BV(Dong guan) report No(8818)297-0051 dated on Nov 14, 2018.



DATE : Jan 29, 2019 PAGE : 12 OF 14

# APPENDIX

			Detection I	Limit (mg/kg)		Maximum
Nic	Nome of Analytic	X-ray	y fluorescence (	XRF)[a]	_	Allowable
No. Nam	Name of Analytes	Plastic	Metallic / glass / ceramic	Others	Wet Chemistry	Limit (mg/kg)
1	Lead (Pb)	100	200	200	10 <sup>[b]</sup>	1000
2	Cadmium (Cd)	50	50	50	10 <sup>[b]</sup>	100
3	Mercury (Hg)	100	200	200	10 <sup>[c]</sup>	1000
4	Chromium (Cr)	100	200	200	NA	NA
5	Chromium VI (Cr VI)	NA	NA	NA	3 <sup>[g, h]</sup> / 10 <sup>[d]</sup> / See <sup>[e, j]</sup>	1000 / Negative <sup>[j]</sup>
6	Bromine (Br)	200	NA	200	NA	NA
7	Polybromobiphenyls (PBBs)  - Bromobiphenyl (MonoBB)  - Dibromobiphenyl (DiBB)  - Tribromobiphenyl (TriBB)  - Tetrabromobiphenyl (TetraBB)  - Pentabromobiphenyl (PentaBB)  - Hexabromobiphenyl (HexaBB)  - Heptabromobiphenyl (HeptaBB)  - Octabromobiphenyl (OctaBB)  - Nonabromobiphenyl (NonaBB)  - Decabromobiphenyl (DecaBB)	NA	NA	NA	Each 50 <sup>[f]</sup>	Sum 1000
8	Polybromodiphenyl ethers (PBDEs)  - Bromodiphenyl ether (MonoBDE)  - Dibromodiphenyl ether (DiBDE)  - Tribromodiphenyl ether (TriBDE)  - Tetrabromodiphenyl ether (TetraBDE)  - Pentabromodiphenyl ether (PentaBDE)  - Hexabromodiphenyl ether (HexaBDE)  - Heptabromodiphenyl ether (HeptaBDE)  - Octabromodiphenyl ether (OctaBDE)  - Nonabromodiphenyl ether (NonaBDE)  - Decabromodiphenyl ether (DecaBDE)	NA	NA	NA	Each 50 <sup>[f]</sup>	Sum 1000



DATE : Jan 29, 2019 PAGE : 13 OF 14

# List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [ Compliance Test for European Parliament and Council Directive 2011/65/EU ]:

NA = Not applicable

- [a] Test method with reference to International Standard IEC 62321-3-1: 2013.
- Test method with reference to International Standard IEC 62321-5: 2013.
- [c] Test method with reference to International Standard IEC 62321-4: 2017.
- [d] Polymers and Electronics Test method with reference to European Standard EN 62321-7-2: 2017.
- [e] Metal Test method with reference to International Standard IEC 62321-7-1: 2015.
- Test method with reference to International Standard IEC 62321-6: 2015.
- [g] Leather Test method International Standard ISO 17075-1:2017.
- [h] Other Than Metal, Leather, Polymers and Electronics Test method with reference to International Standard ISO 17075-1:2017.
- The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Parliament and Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).

#### Testing Approach [ Compliance Test for European Parliament and Council Directive 2011/65/EU ]:

The testing approach was with reference to the following document(s).

- 1 International Standards IEC 62321-1: 2013 and IEC 62321-2: 2013
- 2 "RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
- 3 "RoHS Regulations Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills. (February 2011)
- 4 "Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)



DATE : Jan 29, 2019 PAGE : 14 OF 14

### **TEST RESULT**

BBP/DBP/DEHP/DIBP Content – European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendment Directive 2015/863/EU

**Test Method:** With reference to International Standard IEC 62321-8

Test Parameter:	BBP	DBP	DEHP	DiBP	-
<b>Limit</b> (%):	0.1	0.1	0.1	0.1	-
Test Item(s)	Result (%)				Conclusion
I001+I011+I023+ I038+I043	ND	ND	ND	ND	PASS
I004+I005+I006	ND	ND	ND	ND	PASS
I007+I008+I009	ND	ND	ND	ND	PASS
I010+I025+I026	ND	ND	0.011	ND	PASS
I027	ND	ND	ND	ND	PASS
I048+I050+I053	ND	ND	ND	ND	PASS

Note / key:

BBP = Butyl benzyl phthalate (CAS No: 85-68-7)

DEHP = Di(2-ethylhexyl) phthalate (CAS No: 117-81-7)

ND = Not detected % = percent

mg/kg = milligram(s) per kilogram Detection Limit (%) : Each 0.005 DBP = Dibutyl phthalate (CAS No: 84-74-2) DiBP = Diisobutyl phthalate (CAS No: 84-69-5)

10000 mg/kg = 1 %

#### Remark:

- The amendment will be effective on 22 July 2019. For medical devices and control instruments, effective date will be 22 July 2021.
- This report is to Supersede BV(Dong guan) report No. (8819)007-0093 dated on Jan 18, 2019.

\*\*\* End of Report \*\*\*